NO MORE SELDER

Protects against termites, ants and other destructive insects

- **Mould resistant**

Versatile Sanitary Grade Construction Silicone Sealant

Colour - Light Grey









- Termite-Proof Silicone for Joining Ant Caps
- Pesticide free
- Management Inhibits mould and mildew growth
- Adheres to most building materials including plastics
- Meutral cure
- Withstands movement to ±25%
- ✓ Tested to comply with ASTM C794 10

www.novithor.com

300 g

NOVITHOR

TERMITE PROOF ELEXI-GEL

APPLICATIONS:

Specifically designed for

- · Termite resistant materials
- Aluminium, zincalume, galvanised metal, PVC, concrete and stainless steel

Meets the requirements of AS 3660 Termite management.

DIRECTIONS:

- Surface must be completely clean and dry.
- 2. Extrude and tool sealant fully into joint.
- Extrude ample sealant onto ant capping to ensure continuous seal, overlap ant caps by 40 mm. Hold in position with weights till sealant cures.
- Sealant should skin within 10 minutes and cure at a rate of 1-2 mm in 24 hours.
- Use Mineral Turpentine to remove uncured sealant.



Precautions for Use:

Do not apply sealant to wet surfaces. Sealant cannot be painted over.

Use of eye protection is always recommended. Direct contact with uncured product and vapours may irritate eyes, throat, nasal membranes and skin. Wear suitable protective clothing and gloves.


Safety & First Aid: Sealant will release methylethylketoxime vapour until fully cured. Avoid breathing vapours.

Use in well ventilated conditions. If product is introduced into eyes, immediately flush with water for 15 minutes.

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 11 26.

Shelf Life:


18 months from date of manufacture when stored in cool, dry conditions, below 25° C. Refer to product Data Sheet or SDS for further technical or safety information.



ENSYSTEX AUSTRALASIA PTY LTD ABN 53 102 221 965

Unit 3, The Junction Estate 4-6 Junction Street





2.04

-- AU-NOVI1000